


RSKT2010

FINAL PROGRAM

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Maps: (Beijing Jiaotong University Campus)



- 1、 2、 3、 4、 5、 6、 9: Teaching Building 7: Transportation Equipment Building
 8: Management Building 10: Electrical Engineering Building 11: Mechanical Laboratory Building
 12: Electrical Engineering Laboratory Building 13: Light wave Building
 14: Engineering Laboratory Building 15: Admissions Office 16: Security Department
 17: Printing Factory 18: International Cooperation Center 19: Hong Guo Yuan Hotel
 20: The Second Canteen 21: Security Guard 22: Fair price Supermarket 23: Catered Centre
 24: The First Canteen 25: Foreign Experts Building 26: The Third Canteen
 27、 28、 29、 30、 31、 56: Dormitory 32: Swimming Pool 33: Science Hall
 34: Siyuan East Building 35: Siyuan Building 36: Siyuan West Building
 37: Ming Lake 38: Libarary 39: Public Bath 40: Tianyou Hall
 41: Grove 42: Garden 43: Fanghua Garden
 44: School of Computer and Information Technology 45、 46: Lawn 47: East Playground
 48: Gym 49: West Playground 50: Basketball Court 51: Volleyball court
 52: Tennis court 53: Family District 54: Hospital 55: Jiayuan Dormitory

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Sponsors:

International Rough Set
Society



National Natural Science
Foundation of China



Beijing Jiaotong University



Springer

the language of science

Lecture Notes in
Computer Science

LNCS

LNAI

LNBI

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Message from the Conference and Program Chairs

We are pleased to give you a warm welcome to The 5th International Conferences on Rough Set and Knowledge Technology (RSKT 2010). On behalf of the RSKT 2010 Conference Committees, we would like to thank you for your participation and we do hope that you will enjoy the conference technical and social programs as well as our beautiful and long-history city Beijing.

The RSKT 2010 conference is sponsored and co-organized by Beijing Jiaotong University (BJTU), China, National Natural Science Foundation of China (NSFC), International Rough Set Society (IRSS), and the Rough Sets and Soft Computation Society of the Chinese Association for Artificial Intelligence (CRSSC).

RSKT serves as a major forum that brings researchers and industry practitioners together to discuss and deliberate on fundamental issues of knowledge processing and management and knowledge-intensive practical solutions in the current knowledge age. Experts from around the world meet to present state-of-the-art scientific results, to nurture academic and industrial interaction, and to promote collaborative research in rough sets and knowledge technology.

Following the success of the previous conferences, RSKT2010 continued the tradition of a very rigorous reviewing process. Every submission was reviewed by at least two reviewers. As a result, only top-quality papers were chosen for presentation at the conference, including 49 regular papers (acceptance rate of 28%) and 25 short papers (acceptance rate of 14.3%).

It is impossible to organize a high quality conference without the enormous support and expertise of many top class researchers and leaders. We wish to thank the members of the Steering Committee for their invaluable suggestions and support throughout the organization process. We are indebted to the area chairs, Program Committee members and external reviewers for their effort and engagement in providing a rich and rigorous scientific program for RSKT 2010. We express our gratitude to our Special Session Chairs (Zhongzhi Shi, Yong Yang, Fan Yang, Guisheng Chen, Jingtao Yao, Tianrui Li, Xiaoping Yang, Yanping Zhang) for selecting and coordinating the exciting sessions (total 24 papers in four special sessions). We are also grateful to the Local Arrangement Chairs Liping Jing and Zhen Han as well as the Local Organizing Committee, whose great effort ensured the success of the conference.

We are grateful to the following distinguished keynote speakers for their visionary talks on rough sets and knowledge technology: Deyi Li, Jianchang Mao, Sankar K. Pal, Roman Slowinski, Ian H. Witten, and Bo Zhang.

We wish to express our appreciation to the conference sponsors. We are grateful to the authors, presenters, participants and delegates for their contributions and participation.

Jian Yu
Program Chair

Bin Ning
Conference Chair

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Information for Session Chairs and Presenters

Facilities at the Presentation Room

All rooms are equipped with a desktop and digital projector connected to the desktop. The overhead projector will be available on request only.

Presentation Time

The presentation time allocated to each paper is 20 minutes including questions and answers.

Session Chairs

If you cannot fulfill your duties as a session chair, please ensure that someone else will take your place as the session chair, or contact the conference Program Chair to arrange a back-up.

Session chairs are kindly requested to help with the followings:

1. Note the time allocated for each paper in your session. Each accepted paper is allocated 20 minutes (15 minutes for the presentation plus 5 minutes for discussion).
2. Arrive at the room of the session 5 minutes before the session starts and identify each of the speakers for the session.
3. Suggest each speaker to keep corresponding time for discussions (questions and answers), and for transition to the next presentation. If a presentation extends into the time for discussions, please shorten the discussions accordingly or postpone the discussions until after the session.
4. Do not allow presentations or the subsequent discussions to spill beyond the starting time of the next presentation.
5. If the presenter of a paper is absent ("no-show"), please continue to the next presentation. Please check again at the end of the last presentation whether the "no-show" shows up. Best efforts have been made to reduce the number of no-shows; however, they may not be eliminated.
6. Each presentation room is equipped with a digital projector. If something is not working properly, please contact a volunteer for help.

Presenters

Please check your presentation time and room. Please go to the room 5 minutes before the session starts and identify yourself to the session chairs.

1. Note the time allocated for each accepted paper is 20 minutes (15 minutes for your presentation plus 5 minutes for discussion).
2. When it is your turn to present, please
3. Please do not exceed your allocated time. Please follow the instructions of the Session Chairs.

If you cannot find your name in Sessions or your information is incorrect in the Program Booklet, please contact the Program Chair.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Program at a Glance

[All rooms are located in the 2nd & 3rd levels of the Hong Guo Yuan Hotel, BJTU Campus]

October 15	9:00-19:00 Reception [Hall, 1 st Floor Hong Guo Yuan Hotel]			
	19:00-21:00 Dinner [2 nd Floor, Hong Guo Yuan Restaurant]			
October 16	8:30-9:00 Conference Opening [Multi-functional Hall] Speaker: Prof. Yongsheng Wang, Chair: Zhi-hua Zhou			
	9:00-9:50 Keynote Speaker- Roman Slowinski [Multi-functional Hall] Chair: Weizhi Wu Title: Knowledge Discovery about Preferences using the Dominance-based Rough Set Approach			
	9:50-10:40 Keynote Speaker- Sankar K. Pal [Multi-functional Hall] Chair: Weizhi Wu Title: F-granulation, Generalized Rough Entropy and Pattern Recognition			
	10:40-11:00 Coffee Break [3 rd Floor, Hong Guo Yuan Hotel]			
	11:00	Session 1	Session 2	Session 3
	-	[Conf. Rm2]	[Conf. Rm3]	[Conf. Rm4]
	12:30	RSCT I	HIB	IIP
		Chair: Sankar K. Pal	Chair: Krzysztof Pancierz	Chair: Dayong Deng
	12:30-14:00 Lunch [3 rd Floor, Multi-functional Hall] Buffet			
	14:00-14:50 Keynote Speaker- Ian H. Witten [Multi-functional Hall] Chair: Roman Slowinski Title: Wikipedia and how to use it for semantic document representation			
14:50-15:10 Coffee Break [3 rd Floor, Hong Guo Yuan Hotel]				
15:10	Session 4	Session 5	Session 6	
-	[Conf. Rm2]	[Conf. Rm3]	[Conf. Rm4]	
17:30	RSKT II	KT	NN+CN+Meta	
	Chair: Ian H. Witten	Chair: Jianchang Mao	Chair: Jianhua Dai	
18:00-21:30 Reception Dinner [Da Zhai Men Restaurant]				
October 17	8:30-9:20 Keynote Speaker- Bo Zhang [Multi-functional Hall] Chair: Duoqian Miao Title: Granular Computing and Computational Complexity			
	9:20-10:10 Keynote Speaker- Jianchang Mao [Multi-functional Hall] Chair: Duoqian Miao Scientific Challenges in Contextual Advertising			
	10:10-10:30 Coffee Break [3 rd Floor, Hong Guo Yuan Hotel]			
	10:30	Session 7	Session 8	Session 9
-	[Conf. Rm2]	[Conf. Rm3]	[Conf. Rm4]	
12:30	RSCT III	GC	FS	
	Chair: William Zhu	Chair: Wen-Liang Hung	Chair: Yiyu Yao	

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

12:30-14:00 Lunch [2 nd Floor, Hong Guo Yuan Restaurant] Buffet			
14:00-14:50 Keynote Speaker- Deyi Li [Multi-functional Hall] Chair: Guoyin Wang Title: Comparative Study on Mathematical Foundations of Type-2 Fuzzy Set, Rough Set and Cloud Model			
14:50-15:10 Coffee Break [3 rd Floor, Hong Guo Yuan Hotel]			
15:10 - 17:10	Session 10 [Conf. Rm2] QSTRA Chair: Deyi Li	Session 11 [Conf. Rm3] CMA Chair: Yanping Zhang	Session 12 [Conf. Rm4] DMCC+DTRSM Chair: Tianrui Li
17:10-17:30 Coffee Break [3 rd Floor, Hong Guo Yuan Hotel]			
17:30-18:30 Panel Discussion [3 rd Floor, Multi-functional Hall]			
18:30-21:30 Closing Ceremony [2 nd Floor, Hong Guo Yuan Restaurant] Chair: Jian Yu			

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

RSKT 2010 Program

Saturday, October 16 (LOCATION)

Conference Opening (8:30 - 9:00)

Chair: Zhi-hua Zhou (*Nanjing University, China*)

Location: 3rd Floor, Multi-functional Hall

Welcome: Prof. Yongsheng Wang (*Vice President of Beijing Jiaotong University*)

RSKT: Keynote Speaker (9:00 - 9:50)

Chair: Weizhi Wu (*Zhejiang Ocean University, China*)

Location: 3rd Floor, Multi-functional Hall

Title: Knowledge Discovery about Preferences using the Dominance-based Rough Set Approach

Speaker: Prof. Roman Slowinski (*Poznan University of Technology, Poland*)

RSKT: Keynote Speaker (9:50 -10:40)

Chair: Weizhi Wu (*Zhejiang Ocean University, China*)

Location: 3rd Floor, Multi-functional Hall

Title: F-granulation, Generalized Rough Entropy and Pattern Recognition

Speaker: Prof. Sankar K. Pal (*Indian Statistical Institute, India*)

Coffee Break (10:40 - 11:00)

Location: 3rd Floor, Hong Guo Yuan Hotel

Session 1: Rough Set and Computing Theory I (2nd Floor, Conference Room 2)

Session Chair: Sankar K. Pal (*Indian Statistical Institute, India*)

Session Time: 11:00 - 12:30

Papers:

- Incorporating Great Deluge with Kempe Chain Neighbourhood Structure for the Enrolment-based Course Timetabling Problem
Salwani Abdullah, Khalid Shaker, Barry McCollum, and Paul McMullan
- On Attribute Reduction of Rough Set Based on Pruning Rules
Hongyuan Shen, Shuren Yang, and Jianxun Liu
- Data Classification using Rough Sets and Naïve Bayes
Khadija Al-Aidaros, Azuraliza Abu Bakar, and Zalinda Othman
- Generalized Distribution Reductions in Inconsistent Decision Systems Based on Dominance Relations
Yan Li, Jin Zhao, Na-Xin Sun, and Sankar Kumar Pal
- Pattern Classification Using Class-Dependent Rough-Fuzzy Granular Space
Sankar K. Pal, Saroj K. Meher, and Soumitra Dutta
- Robust Granular Neural Networks, Fuzzy Granules and Classification
Avatharam. G and Sankar. K. Pal

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

- A Robust Fuzzy Rough Set Model Based on Minimum Enclosing Ball
Shuang An, Qinghua Hu, and Daren Yu

Session 2: Health Informatics and Biometrics Authentication (2nd Floor, Conference Room 3)
Session Chair: Krzysztof Panczerz (*Zamosc University of Management and Administration, Poland*)

Session Time: 11:00 - 12:30

Papers:

- Rules for Ontology Population from Text of Malaysia Medicinal Herbs Domain
Zaharudin Ibrahim, Shahrul Azman Noah, and Mahanem Mat Noor
- Classification of MMPI Profiles of Patients with Mental Disorders - Experiments with Attribute Reduction and Extension
Jerzy Gomu la, Krzysztof Panczerz, and Jaros law Szko la
- Autonomous adaptive data mining for u-Healthcare
Andrea Zanda, Santiago Eibe, and Ernestina Menasalvas
- Face Recognition Using Consistency Method and Its Variants
Kai Li, Nan Yang and Xiuchen Ye
- Gait Recognition Based on Outermost Contour
Lili Liu, Yilong Yin, and Wei Qin
- Pseudofractal 2D Shape Recognition
Krzysztof Gdawiec
- Automatic 3D Face Correspondence Based on Feature Extraction in 2D Space
Xun Gong, Shuai Cao, Xinxin Li, Ping Yuan, Hemin Zou1, Chao Ye, Junyu Guo, and Chunyao Wang
- The Neuropathological Diagnosis of the Alzheimer's Disease under the Consideration of Verbal Decision Analysis Methods
Isabelle Tamanini, Placido Rogerio Pinheiro, and Mirian Caliope D.Pinheiro
- Fast Iris Localization Based on Improved Hough Transform
Lu Wang, Gongping Yang, and Yilong Yin

Session 3: Intelligent Information Processing (2nd Floor, Conference Room 4)

Session Chair: Dayong Deng (*Zhejiang Normal University, China*)

Session Time: 11:00 - 12:30

Papers:

- A Tool for Study of Optimal Decision Trees
Abdulaziz Alkhalid, Igor Chikalov, and Mikhail Moshkov
- Application of Rough Sets Theory in Air Quality Assessment
Pavel Jirava, Jiri Krupka, and Miloslava Kasparova
- An Interactive Approach to Outlier Detection
R.M. Konijn and W. Kowalczyk
- Automatic Part of Speech Tagging For Arabic: An Experiment Using Bigram Hidden Markov Model

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Mohammed Albared, Nazlia Omar, and Mohd. Juzaidin Ab Aziz

- Parallel Reducts Based on Attribute Significance
Dayong Deng, Dianxun Yan, and Jiyi Wang
- A Rough Sets Approach to User Preference Modeling
Siyuan Jing and Kun She
- An Effective Principal Curves Extraction Algorithm for Complex Distribution Dataset
Hongyun Zhang, Duoqian Miao, Lijun Sun, and Ying Ye

Conference Lunch (12:30 - 14:00)

Location: 3rd Floor, Multi-functional Hall

RSKT: Keynote Speaker (14:00 -14:50)

Chair: Roman Slowinski (*PoznanUniversity of Technology, Poland*)

Location: 3rd Floor, Multi-functional Hall

Title: Wikipedia and how to use it for semantic document representation

Speaker: Prof. Ian H. Witen (*University of Waikato, New Zealand*)

Coffee Break (14:50 - 15:10)

Location: 3rd Floor, Hong Guo Yuan Hotel

Session 4: Rough Set and Computing Theory II (2nd Floor, Conference Room 2)

Session Chair: Ian H. Witen (*University of Waikato, New Zealand*)

Session Time: 15:10 - 17:30

Papers:

- Some Comparative Analyses of Data in the RSDS System
Zbigniew Suraj and Piotr Grochowalski
- 1-vs-others Rough Decision Forest
Jinmao Wei, Shuqin Wang, and Guoying Wang
- Ordered Weighted Average Based Fuzzy Rough Sets
Chris Cornelis, Nele Verbiest, and Richard Jensen
- Indiscernibility and Similarity in An Incomplete Information Table
Renpu Li, Yiyu Yao
- Knowledge Reduction Based on Granular Computing from Decision Information Systems
Lin Sun, Jiucheng Xu, and Shuangqun Li
- Generate (F, ϵ) -dynamic reduct using Cascading Hashes
Pai-Chou Wang
- Rough Temporal Vague Sets in Pawlak Approximation Space
Yonghong Shen
- Temporal Dynamics in Rough Sets based on Coverings
Davide Ciucci
- A Heuristic Reduction Algorithm in IIS Based on Binary Matrix
Meimei Zhu, Huaxiong Li, Xianzhong Zhou

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Session 5: Knowledge Technology (2nd Floor, Conference Room 3)

Session Chair: Jianchang Mao (*Yahoo! Lab, USA*)

Session Time: 15:10 - 17:30

Papers:

- Using Lexical Ontology for Semi-Automatic Logical Data Warehouse Design
Mior Nasir Mior Nazri, Shahrul Azman Noah, and Zarinah Hamid
- Research On Mapping Mechanism Of Learning Expression
Lili Zhou and Fanzhang Li
- Linking Open Spatiotemporal Data in the Data Clouds
He Hu and Xiaoyong Du
- A New Hybrid Method of Generation of Decision Rules Using Constructive Induction Mechanism
Wieslaw Paja, Krzysztof Pancierz, and Mariusz Wrzesien
- A Frequent Pattern Mining Method for Finding Planted (l, d)-Motifs of Unknown Length
Caiyan Jia, Ruqian Lu, and Lusheng Chen
- A Quick Incremental Updating Algorithm for Computing Core Attributes
Hao Ge, Chuanjian Yang, and Wanlian Yuan
- Likelihood-based Sampling from Databases for Rule Induction Methods
Shusaku Tsumoto, Shoji Hirano, and Hidenao Abe
- Residual Analysis of Statistical Dependence in Multiway Contingency Tables
Shusaku Tsumoto and Shoji Hirano
- A Note on the Effect of Knowledge Refinement on Bag Structures
Kankana Chakrabarty
- A Belief Structure for Reasoning about Knowledge
S.K.M. Wong and Nasser Noroozi
- Review of Software Security Defects Taxonomy
Zhanwei Hui, Song Huang, Zhengping Ren, and Yi Yao

Session 6: Neural Networks, Complex Networks, Metaheuristic (2nd Floor, Conference Room 4)

Session Chair: Jianhua Dai (*Zhejiang University, China*)

Session Time: 15:10 - 17:30

Papers:

- Clonal Selection Algorithm for Learning Concept Hierarchy from Malay Text
Mohd Zakree Ahmad Nazri, Siti Mariyam Shamsuddin, and Azuraliza Abu Bakar
- Back Propagation Approach for Semi-Supervised Learning in Granular Computing
Hong Hu, Weimin Liu, and Zhongzhi Shi
- Action Potential Classification Based on LVQ Neural Network
Jianhua Dai, Qing Xu, Mianrui Chai, and Qida Hu
- Superficial Method for Extracting Social Network for Academics using Web Snippets
Mahyuddin K. M. Nasution and Shahrul Azman Noah
- WebRank: A Hybrid Page Scoring Approach Based on Social Network Analysis

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Shaojie Qiao, Jing Peng, Hong Li, Tianrui Li, Liangxu Liu, and Hongjun Li

- A Tabu-based Memetic Approach for Examination Timetabling Problems
Salwani Abdullah, Hamza Turabieh, Barry McCollum, and Paul McMullan
- Fish Swarm Intelligent Algorithm for the Course Timetabling Problem
Hamza Turabieh, Salwani Abdullah, Barry McCollum, and Paul McMullan
- Hybrid Differential Evolution for Global Numerical Optimization
Liyuan Jia, Lei Li, Wenyin Gong, and Li Huang
- The Geometric Constraint Solving Based on the Quantum Particle swarm
Chunhong Cao, Limin Wang, and Wenhui Li

Reception Dinner (18:00 - 21:30)

Location: Da Zhai Men Restaurant, No.3 Hui Xin Bei Li, Chao Yang District, Beijing.

Sunday, October 17 (LOCATION)

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

RSKT: Keynote Speaker (8:30 - 9:20)

Chair: Duoqian Miao (*Tongji University, Canada*)

Location: 3rd Floor, Multi-functional Hall

Title: Granular Computing and Computational Complexity

Speaker: Prof. Bo Zhang (*Tsinghua University, China*)

RSKT: Keynote Speaker (9:20 -10:10)

Chair: Duoqian Miao (*Tongji University, Canada*)

Location: 3rd Floor, Multi-functional Hall

Title: Scientific Challenges in Contextual Advertising

Speaker: Dr. Jianchang Mao (*Yahoo! Lab, USA*)

Coffee Break (10:10 - 10:30)

Location: 3rd Floor, Hong Guo Yuan Hotel

Session 7: Rough Set and Computing Theory III (2nd Floor, Conference Room 2)

Session Chair: William Zhu (*University of Electronic Science and Technology of China, China*)

Session Time: 10:30 - 12:30

Papers:

- Set-theoretic Models of Granular Structures
Yiyu Yao, Duoqian Miao, Nan Zhang, and Feifei Xu
- A New Fitness Function for Solving Minimum Attribute Reduction Problem
Dongyi Ye, Zhaojiong Chen, and Shenglan Ma
- Poset approaches to covering rough set
Shiping Wang, William Zhu, and Peiyong Zhu
- Towards multi-adjoint property-oriented concept lattices
Jesus Medina
- A New Extended Dominance Relation Approach Based on Probabilistic Rough Set Theory
Decui Liang, Simon X. Yang, Chaozhe Jiang, Xiangui Zheng, and Dun Liu
- An equivalent form of rough logic System RSL
Yingchao Shao, Zhongmin Xie, and Keyun Qin
- Extension of covering approximation space and its application in attribute reduction
Guoyin Wang and Jun Hu

Session 8: Granular Computing (2nd Floor, Conference Room 3)

Session Chair: Wen-Liang Hung (*National Hsinchu University of Education, Taiwan*)

Session Time: 10:30 - 12:30

Papers:

- Dempster-Shafer Evidence Theory based Multi-Characteristics Fusion for Clustering Evaluation

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Shihong Yue, Teresa Wu, IYamin Wang, Kai Zhang, and Weixia Liu

- Recognition of Internet portal users on the basis of their behaviour
Wojciech Jaworski
- Feature-Weighted Mountain Method with Its Application to Color Image Segmentation
Wen-Liang Hung, Miin-Shen Yang, Jian Yu, and Chao-Ming Hwang
- An Improved FCM Clustering Method for Interval Data
Shen-Ming Gu, Jian-Wen Zhao, and Ling He
- An Improved FCM Algorithm for Image Segmentation
Kunlun Li, Zheng Cao, Liping Cao, and Ming Liu
- A Neighborhood Density Estimation Clustering Algorithm Based on Minimum Spanning Tree
Ting Luo and Caiming Zhong
- Hierarchical information system and its properties
Qinrong Feng

Session 9: Fuzzy Sets (2nd Floor, Conference Room 4)

Session Chair: Yiyu Yao (*University of Regina, Canada*)

Session Time: 10:30 - 12:30

Papers:

- Improving the learning of recurring concepts through high-level fuzzy contexts
Joao Bartolo Gomes, Ernestina Menasalvas, and Pedro A. C. Sousa
- Knowledge Reduction in Random Incomplete Information Systems via Evidence Theory
Wei-Zhi Wu
- Qualitative Approximations of Fuzzy Sets and Non-Classical Three-Valued Logics (I)
Xiaohong Zhang, Yiyu Yao, and Yan Zhao
- Qualitative Approximations of Fuzzy Sets and Non-Classical Three-Valued Logics (II)
Xiaohong Zhang, Yiyu Yao, and Yan Zhao
- Conceptual Reduction of Fuzzy Dual Concept Lattices
Xiao-Xue Song, Wen-Xiu Zhang, and Qiang Zhao
- Research of Spatio-temporal Similarity Measure on Network Constrained Trajectory Data
Ying Xia, Guoyin Wang, Xu Zhang, Gyoung-Bae Kim, and Hae-Young Bae
- Implication Operator of Linguistic Truth-Valued Intuitionistic Fuzzy Lattice
Chunying Guo, Fengmei Zhang, Li Zou, and Kaiqi Zou
- Perturbed Iterative approximation of Common Fixed Points on Nonlinear Fuzzy and Crisp Mixed Family Operator Equation Couples in Menger PN-spaces
Heng-you Lan, Tian-xiu Lu, Huang-lin Zeng, and Xiao-hong Ren

Conference Lunch (12:30 - 14:00)

Location: 2nd Floor, Hong Guo Yuan Restaurant.

RSKT: Keynote Speaker (14:00 -14:50)

Chair: Guoyin Wang (*Chongqing University of Posts and Telecommunications, China*)

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Location: Multi-functional Hall

Title: Comparative Study on Mathematical Foundations of Type-2 Fuzzy Set, Rough Set and Cloud Model

Speaker: Prof. Deyi Li (*Natural Science Foundation of China, China*)

Coffee Break (14:50 - 15:10)

Location: 3rd Floor, Hong Guo Yuan Hotel

Session 10: Cloud Model and Its Application (2nd Floor, Conference Room 2)

Session Chair: Deyi Li (*Natural Science Foundation of China, China*)

Session Time: 15:10 - 17:10

Papers:

- A Supervised and Multivariate Discretization Algorithm for Rough Sets
Feng Jiang, Zhixi Zhao, and Yan Ge
- Comparative Study of Type-2 Fuzzy Sets and Cloud Model
Kun Qin, Deyi Li, Tao Wu, Yuchao Liu, Guisheng Chen, and Baohua Cao
- An Uncertain Control Framework of Cloud Model
Baohua Cao, Deyi Li, Kun Qin, Guisheng Chen, Yuchao Liu, and Peng Han
- A Comparative Study of Cloud Model and Extended Fuzzy Sets
Changyu Liu, Wenyan Gan, and Tao Wu
- A Variable Step-size LMS Algorithm based on Cloud Model with Application to Multiuser Interference Cancellation
Wen He, Deyi Li, Guisheng Chen, and Songlin Zhang
- A qualitative requirement and quantitative data transform model
Yuchao Liu, Junsong Yin, Guisheng Chen, and Songlin Zhang
- Operations of fuzzy numbers via Genuine set
Jun Han and Baoqing Hu

Session 11: Quotient space theory research and application (2nd Floor, Conference Room 3)

Session Chair: Yanping Zhang (*Anhui University, China*)

Session Time: 15:10 - 17:10

Papers:

- Computing the Point-to-Point Shortest Path: Quotient Space Theory's Application in Complex Network
Fugui He, Yanping Zhang, Shu Zhao, and Ling Zhang
- Protein Interface Residues Recognition Using Granular Computing Theory
Jiaxing Cheng, Xiuquan Du, and Jiehua Cheng
- Application of Quotient Space Theory in Input-Output Relationship based Combinatorial Testing
Longshu Li, Yingxia Cui, and Sheng Yao
- Granular Analysis in Clustering based on the Theory of Fuzzy Tolerance Quotient Space
Lunwen Wang, Lunwu Wang, and Zuguo Wu

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

- Fuzzy Measures and Granular Computing
Ling Zhang and Bo Zhang
- Identifying protein-protein interaction sites using granularity computing of quotient space theory
Yanping Zhang, Yongcheng Wang, Jun Ma, and Xiaoyan Chen
- Moving Object Detection Based on Gaussian Mixture Model within the Quotient Space Hierarchical theory
Yanping Zhang, Yunqiu Bai, and Shu Zhao

Session 12: Data Mining in Cloud Computing, Decision Theoretic Rough Set Model (2nd Floor, Conference Room 4)

Session Chair: Tianrui Li (*Southwest Jiaotong University, China*)

Session Time: 15:10 - 17:10

Papers:

- The High-activity Parallel Implementation of Data Preprocessing based on MapReduce
Qing He, Qing Tan, Xudong Ma, and Zhongzhi Shi
- Parallel Implementation of Classification Algorithms based on MapReduce
Qing He, Fuzhen Zhuang, Jincheng Li, and Zhongzhi Shi
- Research on Data Processing of RFID Middleware Based on Cloud Computing
Zheng-Wu Yuan and Qi Li
- Attribute Reduction for Massive Data Based on Rough Set Theory and MapReduce
Yong Yang, Zhengrong Chen, Zhu Liang, and Guoyin Wang
- Analysis of Rough and Fuzzy Clustering
Manish Joshi, Pawan Lingras, and C. Raghavendra Rao
- An Attribute Reduction of Rough Set Based on PSO
Hongyuan Shen, Shuren Yang, and Jianxun Liu
- Naive Bayesian Rough Sets
Yiyu Yao and Bing Zhou
- Autonomous Knowledge-oriented Clustering Using Decision-Theoretic Rough Set Theory
Hong Yu, Shuangshuang Chu, and Dachun Yang
- Multiple-category Classification with Decision-theoretic rough sets
Dun Liu, Tianrui Li, Pei Hu, and Huaxiong Li
- A Multi-agent Decision-theoretic Rough Set Model
Xiaoping Yang, Jingtao Yao

Coffee Break (17:10 - 17:30)

Location: 3rd Floor, Hong Guo Yuan Hotel

Panel Discussion (17:30 - 18:30)

Location: Multi-functional Hall

Chair: Guoyin Wang (*Chongqing University of Posts and Telecommunications, China*)

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Closing Ceremony (19:00 - 21:30)

Location: 2nd Floor, Hong Guo Yuan Restaurant.

Chair: Jian Yu

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Keynote Speakers



Deyi Li. Deyi Li, graduated at the Electronic Engineering Dept., South East Univ. in 1967, received his PhD in Computer Science Dept., Heriot-Watt Univ. Edinburgh UK in 1983. He was elected as the member of Chinese Academy of Engineering in 1999, the member of Euroasian Academy of Science in 2004 respectively. At present, he is a professor in Qinghua Univ., the director at Dept. of Information Science, Natural Science Foundation of China, the vice president of both Chinese Institute of Electronics and Chinese Association of Artificial Intelligence. He has published over 120 papers on a wide range of topics in artificial intelligence and 4 monographs, owned Premium Award given by IEE Headquarters 1984/85, and the IFAC world congress outstanding paper 1999, currently interested in networked data mining, artificial intelligence with uncertainty, cloud computing, and cognitive physics.

Speech Title: Comparative Study on Mathematical Foundations of Type-2 Fuzzy Set, Rough Set and Cloud Model

ABSTRACT: Mathematical representation of a concept with uncertainty is one of foundations of Artificial Intelligence. The type-2 fuzzy set introduced by Mendel studies fuzziness of the membership grade of a concept. Rough set proposed by Pawlak defines an uncertain concept through two crisp sets. Cloud model, based on probability measure space, automatically produces random membership grades of a concept through a cloud generator. The three methods all concentrate on the essentials of uncertainty and have been applied in many fields for more than ten years. However, their mathematical foundations are quite different. The detailed comparative study on the three methods will discover the relationship in the between, and provide a fundamental contribution to Artificial Intelligence with uncertainty.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)



Jianchang (JC) Mao. Dr. Jianchang (JC) Mao is a Vice President and the

head of Advertising Sciences in Y! Labs, overseeing the R&D of advertising technologies and products, including Search Advertising, Contextual Advertising, Display Advertising, Targeting, and Categorization. He was also a Science/Engineering director responsible for development of backend technologies for several Yahoo! Social Search products, including Y! Answers and Y! MyWeb (Social Bookmarks). Prior to joining Yahoo!, Dr. Mao was Director of Emerging Technologies & Principal Architect at Verity Inc., a leader in Enterprise Search (acquired by Autonomy), from 2000 to 2004. Prior to this, Dr. Mao was a research staff member at the IBM Almaden Research Center from 1994 to 2000. Dr. Mao's research interest includes Machine Learning, Data Mining, Information Retrieval, Computational Advertising, Social Networks, Pattern Recognition and Image Processing. He received an Honorable Mention Award in ACM KDD Cup 2002, IEEE Transactions on Neural Networks Outstanding Paper Award in 1996, and Honorable Mention Award from the International Pattern Recognition Society in 1993. Dr. Mao served as an associate editor of the IEEE Transactions on Neural Networks, 1999-2000. He received his Ph.D. degree in Computer Science from Michigan State University in 1994.

Speech Title: Scientific Challenges in Contextual Advertising

ABSTRACT: Online advertising has been fueling the rapid growth of the Web that offers a plethora of free web services, ranging from search, email, news, sports, finance, and video, to various social network services. Such free services have accelerated the shift in people's media time spend from offline to online. As a result, advertisers are spending more and more advertising budget online. This phenomenon is a powerful ecosystem play of users, publishers, advertisers, and ad networks. The rapid growth of online advertising has created enormous opportunities as well as technical challenges that demand computational intelligence. Computational Advertising has emerged as a new interdisciplinary field that studies the dynamics of the advertising ecosystem to solve challenging problems that rise in online advertising.

In this talk, I will provide a brief introduction to various forms of online advertising, including search advertising, contextual advertising, guaranteed and non-guaranteed display advertising. Then I will focus on the problem of contextual advertising, which is to find the best matching ads from a large ad inventory to a user in a given context (e.g., page view) to optimize the utilities of the participants in the ecosystem under certain business constraints (blocking, targeting, etc). I

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

will present a problem formulation and describe scientific challenges in several key technical areas involved in solving this problem, including user understanding, semantic analysis of page content, user response prediction, online learning, ranking, and yield optimization.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)



Sankar K. Pal. Sankar K. Pal is a *Distinguished Scientist* of the Indian Statistical Institute. Currently, he is also a J.C. Bose Fellow of the Govt. of India. He founded the Machine Intelligence Unit and the Center for Soft Computing Research: A National Facility in the Institute in Calcutta. He received a Ph.D. in Radio Physics and Electronics from the University of Calcutta in 1979, and another Ph.D. in Electrical Engineering along with DIC from Imperial College, University of London in 1982.

Prof. Pal is a *Fellow* of the IEEE, USA, the Academy of Sciences for the Developing World (TWAS), Italy, International Association for Pattern recognition, USA, International Association of Fuzzy Systems, USA, and all the four National Academies for Science/Engineering in India. He is a co-author of fifteen books and more than three hundred research publications in the areas of Pattern Recognition and Machine Learning, Image Processing, Data Mining and Web Intelligence, Soft Computing, Neural Nets, Genetic Algorithms, Fuzzy Sets, Rough Sets and Bioinformatics.

Prof. Pal is/ was an *Associate Editor* of IEEE Trans. Pattern Analysis and Machine Intelligence (2002-06), IEEE Trans. Neural Networks [1994-98 & 2003-06], Neurocomputing (1995-2005), Pattern Recognition Letters, Int. J. Pattern Recognition & Artificial Intelligence, Applied Intelligence, Information Sciences, Fuzzy Sets and Systems, Fundamenta Informaticae, LNCS Trans. On Rough Sets, Int. J. Computational Intelligence and Applications, IET Image Processing, J. Intelligent Information Systems, and Proc. INSA-A; *Editor-in-Chief*, Int. J. Signal Processing, Image Processing and Pattern Recognition; a *Book Series Editor*, Frontiers in Artificial Intelligence and Applications, IOS Press, and Statistical Science and Interdisciplinary Research, World Scientific; a *Member, Executive Advisory Editorial Board*, IEEE Trans. Fuzzy Systems, Int. Journal on Image and Graphics, and Int. Journal of Approximate Reasoning; and a *Guest Editor* of IEEE Computer.

Speech Title: F-granulation, Generalized Rough Entropy and Pattern Recognition

ABSTRACT: The role of rough sets in uncertainty handling and granular computing is described. The significance of its integration with other soft computing tools and the relevance of rough-fuzzy computing, as a stronger paradigm for uncertainty handling, are explained. Different applications of rough granules and certain important issues in their implementations are stated. Three tasks such as class-dependent rough-fuzzy granulation for classification, rough-fuzzy clustering and defining generalized rough sets for image ambiguity measures and analysis are then addressed in this regard, explaining the nature and characteristics of granules used therein.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Merits of class dependent granulation together with neighborhood rough sets for feature selection are demonstrated in terms of different classification indices. Significance of a new measure, called "dispersion" of classification performance, which focuses on confused classes for higher level analysis, is explained in this regard. Superiority of rough-fuzzy clustering is illustrated for determining bio-bases (c-medoids) in encoding protein sequence for analysis. Generalized rough sets using the concept of fuzziness in granules and sets are defined both for equivalence and tolerance relations. These are followed by the definitions of entropy and different image ambiguities. Image ambiguity measures, which take into account both the fuzziness in boundary regions, and the rough resemblance among nearby gray levels and nearby pixels, have been found to be useful for various image analysis operations

The talk concludes with stating the future directions of research and challenges.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)



Roman Slowinski. Roman Slowinski was born in 1952 in Poznan, Poland. He earned his PhD in 1977 in Computer Science from the Poznan University of Technology and Dr. Habil. in Decision Sciences, also from Poznan University of Technology in 1981. Roman Slowinski is Professor since 1989 and Founding Head of the Laboratory of Intelligent Decision Support Systems within the Institute of Computing Science, Poznan University of Technology, Poland. Since 2002 he also holds a Professor's position at the Systems Research Institute of the Polish Academy of Sciences in Warsaw. He has been professor on European Chair at the University of Paris Dauphine, and invited professor at the Swiss Federal Institute of Technology in Lausanne, at the University of Catania and at Polytech'Tours. Roman Slowinski has conducted extensive research on the methodology and techniques of decision aiding, including multiple criteria decision making, preference modeling, modeling of uncertainty in decision problems, and knowledge-based decision support. This methodology cleverly combines Operations Research and Computational Intelligence. Today Roman Slowinski is perhaps best known for his seminal work on using rough sets in decision analysis. He started this work with the founder of the rough set concept, the late Zdzislaw Pawlak in 1983, and continued with Salvatore Greco and Benedetto Matarazzo since the beginning of the 90's. He organized the First International Workshop on Rough Set Theory and Applications in Poznan, in 1992. In 2010, he has been elected President of the International Rough Set Society (IRSS). His record of publications includes 14 monographs, and over 380 scientific articles in international journals and edited volumes. He has supervised 24 Ph.D. theses in Operations Research and Computer Science. Roman Slowinski is the Editor-in-Chief of the *European Journal of Operational Research* (EJOR) since 1999. He is recipient of the EURO Gold Medal (1991) and the MCDM Society's Edgeworth-Pareto Award (1997). In 2004, he was elected member of the Polish Academy of Sciences, a corporation of 350 outstanding Polish scholars. In 2005, he received the Annual Prize of the Foundation for Polish Science, regarded as the most prestigious scientific award in Poland. Additional recognitions include Doctor Honoris Causa of Polytechnic Faculty of Mons (2000), University of Paris Dauphine (2001) and Technical University of Crete (2008).

Speech Title: Knowledge Discovery about Preferences using the Dominance-based Rough Set Approach

ABSTRACT: The aim of scientific decision aiding is to give the decision maker a recommendation concerning a set of objects (also called alternatives, solutions, acts, actions, . . .) evaluated from multiple points of view considered relevant for the problem at hand and called attributes (also

called features, variables, criteria, . . .). On the other hand, a rational decision maker acts with respect to his/her value system so as to make the best decision. Confrontation of the value system of the decision maker with characteristics of the objects results in expression of preferences of the decision maker on the set of objects. In order to recommend the most-preferred decisions with respect to classification, choice or ranking, one must identify decision maker's preferences. In this presentation, we review multi-attribute preference models, and we focus on preference discovery from data describing some past decisions of the decision maker. The considered preference model has the form of a set of "if..., then..." decision rules induced from the data. In case of multi-attribute classification the syntax of rules is: "**if** performance of action *a* is better (or worse) than given values of some attributes, **then** *a* belongs to at least (at most) given class", and in case of multi-attribute choice or ranking: "**if** action *a* is preferred to action *b* in at least (at most) given degrees with respect to some attributes, **then** *a* is preferred to *b* in at least (at most) given degree". To structure the data prior to induction of such rules, we use the Dominance-based Rough Set Approach (DRSA). DRSA is a methodology for reasoning about ordinal data, which extends the classical rough set approach by handling background knowledge about ordinal evaluations of objects and about monotonic relationships between these evaluations. We present DRSA to preference discovery in case of multi-attribute classification, choice and ranking, in the case of single and multiple decision makers, and in the case of decision under uncertainty and time preference. The presentation is mainly based on publications [1,2,3].

References

- [1] S.Greco, B.Matarazzo, R.Slowinski: Dominance-based rough set approach to decision involving multiple decision makers. [In]: *Rough Sets and Current Trends in Computing (RSCTC 2006)*. LNAI 4259, Springer, Berlin, 2006, pp. 306-317.
- [2] S.Greco, B.Matarazzo, R.Slowinski: Dominance-based rough set approach to decision under uncertainty and time preference. *Annals of Operations Research*, 176 (2010) 41-75.
- [3] R.Slowinski, S.Greco, B.Matarazzo: Rough Sets in Decision Making. [In]: R.A.Meyers (ed.): *Encyclopedia of Complexity and Systems Science*, Springer, New York, 2009, pp. 7753-7786.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)



Ian H. Witten. Ian H. Witten is Professor of Computer Science at the University of Waikato in New Zealand where he directs the New Zealand Digital Library research project. His research interests include language learning, information retrieval, and machine learning. He has published widely, including several books, such as *Managing Gigabytes* (1999), *How to build a digital library* (2003), *Data Mining* (2005) and *Web Dragons* (2007). He is a Fellow of the ACM and of the Royal Society of New Zealand. He received the 2004 IFIP Namur Award, a biennial honour accorded for “outstanding contribution with international impact to the awareness of social implications of information and communication technology” and (with the rest of the Weka team) the 2005 SIGKDD Service Award for “an outstanding contribution to the data mining field” and in 2006 the Royal Society of New Zealand Hector Medal for “an outstanding contribution to the advancement of the mathematical and information sciences.”

Speech Title: Wikipedia and how to use it for semantic document representation

ABSTRACT: Wikipedia is a goldmine of information; not just for its many readers, but also for the growing community of researchers who recognize it as a resource of exceptional scale and utility. It represents a vast investment of manual effort and judgment: a huge, constantly evolving tapestry of concepts and relations that is being applied to a host of tasks.

This talk focuses on the process of "wikification"; that is, automatically and judiciously augmenting a plain-text document with pertinent hyperlinks to Wikipedia articles—as though the document were itself a Wikipedia article. I first describe how Wikipedia can be used to determine semantic relatedness between concepts. Then I explain how to wikify documents by exploiting Wikipedia's internal hyperlinks for relational information and their anchor texts as lexical information. Data mining techniques are used throughout to optimize the models involved.

I will discuss applications to knowledge-based information retrieval, topic indexing, document tagging, and document clustering. Some of these perform at human levels. For example, on CiteULike data, automatically extracted tags are competitive with tag sets assigned by the best human taggers, according to a measure of consistency with other human taggers. All this work uses English, but involves no syntactic parsing, so the techniques are language independent.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)



Bo Zhang . Professor Bo Zhang is now a professor of Computer Science and Technology Department of Tsinghua University, the fellow of Chinese Academy of Sciences. In 1958 he graduated from Automatic Control Department of Tsinghua University, and became a faculty member since then. From 1980/02 to 1982/02 he visited University of Illinois at Urbana-Champaign, USA as a scholar. He is now the chairman of steering committee of Research Institute of Information Technology, Tsinghua University, the technical advisor of Fujian government, and the member of Technical Advisory Board of Microsoft Research Asia.

He is engaged in the research on artificial intelligence, artificial neural networks, genetic algorithms, intelligent robotics, pattern recognition and intelligent control. In these fields, he has published over 150 papers and 4 monographs, where 2 are English versions.

Speech Title: Granular Computing and Computational Complexity

ABSTRACT: Granular computing is to imitate human's multi-granular computing strategy to problem solving in order to endow computers with the same capability. Its final goal is to reduce the computational complexity. To the end, based on the simplicity principle the problem at hand should be represented as simpler as possible. From structural information theory, it's known that if a problem is represented at different granularities, the hierarchical description of the problem will be a simpler one. The simpler the representation the lower the computational complexity of problem solving should be.

We presented a quotient space theory to multi-granular computing. Based on the theory a problem represented by quotient spaces will have a hierarchical structure. Therefore, the quotient space based multi-granular computing can reduce the computational complexity in problem solving. In the talk, we'll discuss how the hierarchical representation can reduce the computational complexity in problem solving by using some examples.

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Conference Organizing Committee

Conference Chairs	Bin Ning (China) Sankar K. Pal (India) Zhi-Hua Zhou (China)
Program Chairs	Jian Yu (China) Salvatore Greco (Italy) Pawan Lingras (Canada)
Organizing Chairs	Liping Jing (China) Zhen Han (China)
Special Session Chairs	Hung Son Nguyen (Poland)
Publicity Chairs	Jerzy W. Grzymala-Busse (USA) Sushmita Mitra (India)
Steering Committee Chairs	Andrzej Skowron (Poland) Guoyin Wang (China) Yiyu Yao (Canada)
Program Committee Members	B. Uma Shankar (India) Yan Zhu (China) Yan Zhao (Canada) Dongyi Ye (China) Songmao Zhang (China) Weizhi Wu (China) Wei Xiang (Australia) Jiucheng Xu (China) Jianchao Han (USA) Jianhua Dai (China) jiangchaozhe (China) Ryszard Janicki (Canada) Jaroslaw Stepaniuk (Poland) Guozheng Li (China) Georg Peters (Germany) Joseph P. Herbert (Canada) Masahiro Inuiguchi (Japan) Alicja Wierzchowska (Poland) Andrzej Szalas (Sweden) Anita Wasilewska (USA) Cornelis Chris (Belgium) Davide Ciucci (Italy) Dimitar Vakarelov (Bulgaria) Etienne Kerre (Belgium) Martine De Cock (Belgium)

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Hongwei Mo (China)
Duoqian Miao (China)
Jusheng Mi (China)
Jiye Liang (China)
Raymond Y. K. Lau (Hong Kong)
Kenneth Revett (UK)
Andrzej Skowron (Poland)
Dominik Slezak (Canada)
Esma Aimeur (Canada)
Yanqing Zhang (USA)
Bonikowski Zbigniew (Poland)
Ning Zhong (Japan)
Wojciech Ziarko (Canada)
Zhimin Gu (China)
Yee Leung (Hong Kong)
Zbigniew Suraj (Poland)
Tzung-Pei Hong (Taiwan)
I. Burhan Turksen (Canada)
Tsau Young Lin (USA)
Simon X. Yang (Canada)
Piotr Synak (Poland)
Taghi M. Khoshgoftaar (USA)
Tai-hoon Kim (Korea)
Xiaohua Tony Hu (USA)
Wojtek Michalowski (Canada)
Jerzy Grzymala-Busse (USA)
J F Peters (Canada)
Jan Komorowski (Sweden)
Jie Lu (Australia)
Kankana Chakrabarty (Australia)
Guohe Li (China)
Yang Gao (China)
Germán Hurtado Martín (Belgium)
Aboul E. Hassanien (Egypt)
Anna M. Radzikowska (Poland)
Dan Wu (Canada)
Jitender Deogun (USA)
Els Lefever (Belgium)
Ernestina Menasalvas-Ruiz (Spain)
Mieczysw A.K potek (Poland)
Mikhail Moshkov (Saudi Arabia)
Krzysztof Pancierz (Poland)

The 5th International Conference on Rough Set and Knowledge Technology (RSKT2010)

Keyun Qin (China)
Justin Zhan (USA)
Li-Shiang Tsay (USA)
Marcin Wolski (Poland)
Victor Marek (USA)
Benedetto Matarazzo (Italy)
Tetsuya Murai (Japan)
Leszek Rutkowski (Poland)
Nicolás Marín (Spain)
Patrick Doherty (Sweden)
Witold Pedrycz (Canada)
Rene Mayorga (Canada)
Richard Jensen (UK)
Ron Yager (U.S.A)
Henryk Rybinski (Poland)
Hiroshi Sakai (Japan)
S. K. Michael Wong (USA)
WU Zhaocong (China)
Sheela Ramanna (Canada)
Nguyen Hung Son (Poland)
William Zhu (China)
Peng (Paul) Wen (Australia)
Jie Yang (China)
Sadaaki Miyamoto (Japan)
Michinori Nakata (Japan)
Wladyslaw Skarbek (Poland)
Zou Li (China)
Jingtao Yao(Canada)